

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 June 2007

(For the Period 15 May 2007 to 31 May 2007)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-82901B	Explosive, Plastic-Bonded, Cast PBXN-110 [CUST: OS]	A	1376		OS	06-APR-2007
M	MIL-DTL-5498E	Accumulators, Hydraulic, Cylindrical 3000 PSI, Aircraft [CUST: AV AS 99] [REVIEW: 71]	A	1650		GS1	15-MAY-2007
M	MIL-DTL-5755D	Mirror, Rearview, Nonmagnetic, General Requirements for (for Aeronautical Use) [CUST: AV AS 99]	A	1680		GS1	30-MAY-2007
M	MIL-DTL-25995D	Pipe, Aluminum Alloy, Drawn or Extruded [CUST: AT SH 99 CC] [REVIEW: 71 EA SA]	A	4710		CC	14-MAY-2007
M	MIL-PRF-32107 SUP 1 NOT 1	Hose, Air Duct, General Specification for [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	30-MAY-2007
M	MIL-PRF-32107/1 NOT 1	Hose, Air Duct Straight, Round [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	30-MAY-2007
M	MIL-PRF-32107/2 NOT 1	Hose, Air Duct Straight, Half-Round [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	30-MAY-2007
M	MIL-PRF-32107/3 NOT 1	Hose, Air Duct Elbow, Round [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	30-MAY-2007
M	MIL-PRF-32107/4 NOT 1	Hose, Air Duct Elbow, Half-Round [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	30-MAY-2007
M	MIL-PRF-32107/6 NOT 1	Hose, Air Duct Tee, Right Orientation, Round [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	30-MAY-2007
M	MIL-PRF-32107/7 NOT 1	Hose, Air Duct Tee, Left Orientation, Round [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	30-MAY-2007
M	MIL-PRF-32107/16 NOT 1	Hose, Air Duct Reducer, Round [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	01-JUN-2007
M	MIL-PRF-32107/18 NOT 1	Hose, Air Duct Adapter, Round [CUST: SH] [REVIEW: CC NP SA]	A	4720		SH	31-MAY-2007
M	A-A-59735 NOT 1	Hose, Metallic [CUST: SH 99] [REVIEW: 71 CC SA YD]	A	4720	/	SH	31-MAY-2007
M	QPL-24135-41	Hose, Synthetic Rubber, Wire Reinforced, for Flexible Hose Assemblies General Specification for	A	4720		SH	01-MAY-2007
N	MIL-DTL-5070/1	Nipple Assembly 90 Degrees, Adapter, Hose to Tube, Reusable, Brazeless, One-Piece Design, Hydraulic, Fuel and Oil Lines, 1/4 through 2 Inch Tube Sizes [CUST: AV AS 99 CC] [REVIEW: 11 AT MC SA]	A	4730		CC	14-MAY-2007
N	MIL-DTL-5070/2	Nipple Assembly 45 Degrees, Adapter, Hose to Tube, Reusable, Brazeless, One-Piece Design, Hydraulic, Fuel and Oil Lines, 1/4 through 2 Inch Tube Sizes [CUST: AV AS 99 CC] [REVIEW: 11 71 AT MC SA]	A	4730		CC	14-MAY-2007
M	MS14315C	Bushings, Pipe, Brass or Bronze, Threaded (Outside Head, Inside Head, and Face) Class 250 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA]	A	4730		CC	30-MAY-2007
M	MS24587E	Adapter Assembly, Straight, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 71 AV SA]	A	4730		CC	14-MAY-2007
M	MS24588C	Nipple, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines, 3/16 through 3/4 Inch Tubing Sizes [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS24589C	Nipple, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines, 1 through 2 Inches Tubing Sizes [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS24590C	Socket, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines, 3/16 through 3/4 Inch Tubing Sizes [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS24591D	Socket, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines, 1 through 2 Inches Tubing Sizes [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27223C	Nipple Assembly 90 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines 1/4 Inch through 2 Inch Tube Sizes [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27224B	Swivel Nut Assembly 90 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines 1/4 Inch Through 2 1/2 Inch Tube Sizes [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27225C	Nipple Assembly 45 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27226B	Swivel Nut Assembly 45 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27227B	Flange Nipple Assembly 90 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27228B	Flange Assembly 90 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27229B	Flange Nipple Assembly 45 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27230B	Flange Assembly 45 Degrees, Adapter, Hose to Tube, Reusable, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27231B	Straight Flange Nipple Assembly, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27232B	Straight Flange Assembly Adapter, Hose to Flange, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27234C	Elbow Tube, 90 Degrees [CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27235D	Elbow Tube, 45 Degrees [CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27236B	Shoulder - Designed for 45 Degrees and 90 Degrees Swivel Nut, Hose to Tube Adapters, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27237F	Shoulder, Swivel Flange, Adapter, Hose to Tube, Hydraulic Fuel and Oil Lines, 1/2 through 3 Inch Tubing Sizes [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27238B	Wire, Nut Retaining, Designed for Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS27239E	Nipple, Straight, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines, 1/4 through 4 Inch Tube Sizes [CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A	4730		CC	14-MAY-2007
M	MS28746E	Fitting End - Hose, Swivel, Detachable, 45 Degrees Flange, 4 Bolt [CUST: AT AS 99 CC] [REVIEW: 11 71 AV]	A	4730		CC	14-MAY-2007
M	QPL-25732-18(3) NOT 1	Packing, Preformed, Petroleum Hydraulic Fluid Resistant, Limited Service at 275 Deg. F (135 Deg C) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5330		11	21-MAY-2007
M	A-A-55588 NOT 2	Hinge Strap (Offset) [CUST: AR YD 99 IS] [REVIEW: 71 AV CR4 MC SH]	A	5340	/	IS	30-MAY-2007
M	MIL-DTL-85670C	Antenna, Broadband AS-3191/A, and AS-3793/A [CUST: AS 11 CC]	A	5821		CC	16-MAY-2007
M	MIL-PRF-22E SUP 1	Resistors, Variable, (Wirewound, Power Type), General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	01-MAY-2007
M	MIL-PRF-22/12D	Resistors, Variable, (Wirewound, Power Type), (Unenclosed), Style RP45 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	01-MAY-2007
M	QPL-55182-158	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, General Specification for	A	5905		CR	05-APR-2006
M	MIL-PRF-39018/6C	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Established Reliability Style CUR91 (Insulated) [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	16-MAY-2007
M	MIL-PRF-39018/7B	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), (Four-Terminal), Established Reliability Style CUR19 (Insulated) [CUST: CR EC 11 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	16-MAY-2007

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-19207F	Fuseholders, Extractor Post Type, Blown Fuse, Indicating and Nonindicating, General Specification for [CUST: CR SH 11 CC] [REVIEW: 19 70 71 84 99 AR AS AT CR4 EC MC MI OS]	A	5920		CC	15-MAY-2007
M	A-A-55473C	Fuse, Plug, (Type T), Time Delay, Dual Element, Edison Base [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-55474C	Adapter, Fuse, Type S [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-55475C	Fuseholder, Extractor Post [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-55476C	Fuse, Cartridge, Type SFE [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-55504C	Fuseholder, Extractor Post, Which Accommodates 3AG (.25 Inch (IN) X 1.25 IN (6.35 Millimeters (MM) X 31.75 MM)) OR .196 IN X .787 IN (5 MM X 20 MM) Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-55508D	Fuseholder, Block, 30 Ampere (A), 250 Volts (V) AC, 1 TO 12 Poles [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-55509C	Fuse, Indicator Alarm [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-55519C	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), General Requirements for [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-59532B	Fuse, Inclosed Link, Surface Mount (SM), General Requirements for [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-59688C	Fuse, Cartridge, Instrument Type, 5 mm x 20 mm, General Requirements for [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-59689B	Fuse, Finger-Safe, Dual-Element, Time Delay, Indicating, General Requirements for [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-59701B	Wrist Strap, Electrostatic Discharge, General Requirements for [CUST: EC CC]	A	5920	/	CC	03-MAY-2007
M	A-A-55571C	Circuit Breaker, 28 Volts (V) DC, Manual and Automatic Reset, General Requirements for [CUST: EC CC]	A	5925	/	CC	03-MAY-2007
M	A-A-59542B	Circuit Breaker, Automotive Blade Type, General Requirements for [CUST: EC CC]	A	5925	/	CC	03-MAY-2007
M	MIL-PRF-24236/1M	Switches, Thermostatic, (Bimetallic), Subminiature, Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 5 Amperes, and Low Level [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5930		CC	08-MAY-2007
M	MIL-PRF-24236/29A	Switches, Thermostatic, (Bimetallic), Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 10 Ampere [CUST: CR EC 11 CC]	A	5930		CC	12-MAY-2007
M	MIL-DTL-28840B SUP 1	Connectors, Electrical, Circular, Threaded, High Density, High Shock, Shipboard, Class D, General Specification for [CUST: EC CC] [REVIEW: OS SH YD]	A	5935		CC	26-APR-2007
M	MIL-DTL-38999/20F	Connectors, Electrical, Circular, Receptacle, Threaded, Wall Mounting Flange, Removable Crimp Contacts, Series III, Metric [CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	17-MAY-2007
M	MIL-DTL-83513/7E(1)	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Socket Contacts, Class P, Solder Type [CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	22-MAR-2007
M	MIL-DTL-83734H SUP 1	Sockets, Plug-In Electronic Components, Dual-In-Line (DIPS) and Single-In-Line Packages (SIPS), General Specification for [CUST: CR EC 99 CC] [REVIEW: 19 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/3G	Sockets, Plug-In Electronic Components, (for 14 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/4F	Sockets, Plug-In Electronic Components, (for 16 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/5F	Sockets, Plug-In Electronic Components, (for 18 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/6F	Sockets, Plug-In Electronic Components, (for 22 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/7F	Sockets, Plug-In Electronic Components, (for 28 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/8F	Sockets, Plug-In Electronic Components, (for 24 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/9F	Sockets, Plug-In Electronic Components, (for 36 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/10G	Sockets, Plug-In Electronic Components, (for 40 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/13E	Sockets, Plug-In Electronic Components, (For 20 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/14E	Sockets, Plug-In Electronic Components, (For 48 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	MIL-DTL-83734/15E	Sockets, Plug-In Electronic Components, (For 64 Pin Dual-In-Line Packages) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC OS SH TD]	A	5935		CC	30-APR-2007
M	A-A-55479A NOT 1	Connectors, Pin, Electrical, Rectangular, Rack and Panel, Pin Protector [CUST: EC CC]	A	5935	/	CC	22-MAY-2007
M	A-A-55480A NOT 1	Connectors, Pin and Receptacle, Electrical, Rectangular, Rack and Panel, Dust Cover [CUST: EC CC]	A	5935	/	CC	22-MAY-2007
M	QPL-24368-24	Connector Assemblies, Plugs and Receptacles, Electric Power Transfer, Shore to Ship and Ship to Ship, General Specification for	A	5935		SH	16-MAY-2007
N	QPL-AS81659-1	Connectors, Electrical, Rectangular, Crimp Contacts General Specification for		5935		AS	01-JUN-2007
N	SAE-AS81659	Connectors, Electrical, Rectangular Crimp Contacts General Specification for [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
N	SAE-AS81659/9	Connectors, Electrical, Rectangular, Receptacle Environment Resistant, Crimp Contacts, Double Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 1, Shell Designator A [CUST: AS CC] [REVIEW: EC]	A	5935		AS	01-JUN-2007
N	SAE-AS81659/29	Connectors, Electrical, Rectangular, Plug, Crimp Contacts (Single Insert, Type II, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
N	SAE-AS81659/31	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
N	SAE-AS81659/33	Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Dual Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
N	SAE-AS81659/35	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type II, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC]	A	5935		AS	01-JUN-2007
N	SAE-AS81659/37	Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Triple Insert, Type II, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
N	SAE-AS81659/39	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Triple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/41	Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Quadruple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/43	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Quadruple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/53	Connectors, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Triple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator B [CUST: AS CC] [REVIEW: EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/56	Connectors, Electrical, Rectangular, Receptacle, Environment Resistant, Crimp Contacts, Triple Insert, Type II, Class 2 (-65 Degrees C to +200 Degrees C), Series 2, Shell Designator B [CUST: AS CC] [REVIEW: EC]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/57	Connectors, Electrical, Rectangular, Plug Environment Resistant, Crimp Contacts, Quadruple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator B [CUST: AS CC] [REVIEW: EC]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/58	Connectors, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Quadruple Insert, Type II, Class 2 (-65 Degrees C to +200 Degrees C), Series 2, Shell Designator B [CUST: AS CC] [REVIEW: EC]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/61	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type III, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/62	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type III, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/63	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Triple Insert, Type III, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/64	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Quadruple Insert, Type III, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: MI]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/65	Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC MI OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/66	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/67	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A, Clinch Nut Mounting) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/68	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A, Float Mounting) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/69	Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/70	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/71	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A, Clinch Nut Mount) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
N	SAE-AS81659/72	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A, Float Mounting) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935	AS		01-JUN-2007
M	MIL-PRF-19500/408H	Semiconductor Device, Transistor, NPN, Silicon, High-Power, Types 2N3715 and 2N3716, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI]	A	5961	CC		04-MAY-2007
M	MIL-PRF-19500/420K	Semiconductor Device, Diode, Silicon, Power, Rectifier, Types 1N5550 through 1N5554, 1N5550US through 1N5554US, JAN, JANTX, JANTXV, JANS, JANHC, JANHCB, JANHCC, JANHCD, JANHCE, JANKA, JANKC, and JANKCE [CUST: CR EC 11 CC] [REVIEW: 19 71 84 99 AR AS MC MI SM]	A	5961	CC		21-MAY-2007
M	MIL-PRF-19500/435H	Semiconductor Device, Diode, Silicon, Low-Noise Voltage Regulator, Types 1N4099-1 through 1N4135-1, 1N4614-1 through 1N4627-1, 1N4099UR-1 through 1N4135UR-1, 1N4614UR-1 through 1N4627UR-1, Plus C and D Tolerance Suffix Devices, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 70 99 AR AS AV MC MI SM]	A	5961	CC		18-MAY-2007
M	MIL-PRF-19500/444K	Semiconductor Device, Diode, Silicon, Switching, Schottky, Types 1N5711-1, 1N5711UR-1, 1N5711UB, 1N5711UBCA, 1N5711UBD, 1N5711UBCC, 1N5712-1, 1N5712UR-1, 1N5712UB, 1N5712UBCA, 1N5712UBD, 1N5712UBCC, 1N6857-1, 1N6857UR-1, 1N6858-1, and 1N6858UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961	CC		03-MAY-2007
M	MIL-PRF-19500/702B	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7482T3, 2N7483T3, and 2N7484T3, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 11 CC NA]	A	5961	CC		30-MAY-2007
N	MIL-PRF-19500/742	Semiconductor Device, Diode, Silicon, Ultrafast Recovery, Power Rectifier, Types 1N5802CB, 1N5804CB, 1N5806CB, 1N5807CB, 1N5809CB, and 1N5811CB, 1N5802CBUS, 1N5804CBUS, 1N5806CBUS, 1N5807CBUS, 1N5809CBUS, and 1N5811CBUS, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961	CC		01-JUN-2007
N	NEMA-F11	Manufactured Electrical Mica [CUST: CR SH 11 GS] [REVIEW: 03 19 99 AS CG GS2 MI]	A	5970	SH		09-MAY-2007
M	MIL-DTL-23971/5C	Power Dividers, N-Way, 0 Degrees, Flat Pack [CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS]	A	5985	CC		14-MAY-2007
M	QPL-7032-36 NOT 1	Inverters, Aircraft, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6125	AS		01-JUN-2007
M	QPL-8565-28 NOT 1	Batteries, Storage, Aircraft, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6140	AS		01-JUN-2007

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-915G SUP 1 NOT 1	Cable, Electrical, for Shipboard Use, General Specification for [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-915/6K NOT 1	Cable, Power Electrical, 600 Volts, for Outboard Use only (not for Inboard Use), Type THOF [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-915/7G NOT 1	Cable, Power Electrical, for Outboard Use only (not for Inboard Use), Type DSWS [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-915/8H NOT 1	Cable, Power Electrical, 600 Volts, for Outboard Use only (not for Inboard Use), Types DSS, TSS, FSS, and 7SS [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-915/9F NOT 1	Cable, Power Electrical, 600 Volts, for Outboard Use only (not for Inboard Use), Type JAS [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-915/10F NOT 1	Cable, Power Electrical, 600 Volts, for Outboard Use only (not for Inboard Use), Type MCSF-4 [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-915/22J NOT 1	Cable, Special Purpose Electrical, 300 Volts, for Outboard Use only (not for Inboard Use), Type TSP (Including Variation Type TPSA) [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-915/47D NOT 1	Cable, Special Purpose, Electrical, for Outboard Use Only (not for Inboard Use), Type 1SWF [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-915/48D NOT 1	Cable, Special Purpose, Electrical, for Outboard Use Only (not for Inboard Use), Type 2SWF [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-915/58F NOT 1	Cable, Power Electrical, 600 Volts, for Outboard Use Only (not for Inboard Use), Type MWF [CUST: MI SH] [REVIEW: AR CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643B SUP 1 NOT 1	Cables and Cords, Electric, Low Smoke, for Shipboard Use, General Specification for [CUST: MI SH] [REVIEW: AR AV CG CR EC IS]	A	6145		SH	30-MAY-2007
M	MIL-DTL-24643/9E NOT 1	Cable, Electrical, Type LSMRI [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/10C NOT 1	Cable, Electrical, Type LSPBTMU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/11D NOT 1	Cable, Electrical, 600 Volts, Type LSSSF [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/12E NOT 1	Cable, Electrical, 300 Volts, Type LSTTOP [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/13D NOT 1	Cable, Electrical, 300 Volts, Type LSTTRS [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/14E NOT 1	Cable, Electrical, 1000 Volts, Type LSSSGU (Including Variation LSSSGA) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/15E NOT 1	Cable, Electrical, 1000 Volts, Type LSDSGU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/16E NOT 1	Cable, Electrical, 1000 Volts, Type LSTSGU (Including Variation LSTSGA) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/17E NOT 1	Cable, Electrical, 1000 Volts, Type LSFSGU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/18E NOT 1	Cable, Electrical, 1000 Volts, Type LSMSCU (Including Variation LSMSCS) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/19E NOT 1	Cable, Electrical, 1000 Volts, Type LS6SGU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/20E NOT 1	Cable, Electrical, 1000 Volts, Type LS7SGU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/21E NOT 1	Cable, Electrical, Types LSTCJU and LSTCTU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-24643/22D NOT 1	Cable, Electrical, 5000 Volts, Type LS5KVTSUGU (Including Variation LS5KVTSUGA) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/23F NOT 1	Cable, Electrical, 300 Volts, Type LSTTSU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/24B NOT 1	Cable, Electrical, Types LSTCJX, LSTCKX and LSTCTX [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/25E NOT 1	Cable, Electrical, Type LSPI [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/26E NOT 1	Cable, Electrical, 600 Volts, Types LSDPS, LSFPS, LSTPS and LS7PS [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/27E NOT 1	Cable, Electrical, 600 Volts Type LS2AU (Including Variation LS2AUS) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/28E NOT 1	Cable, Electrical, Type LS1S5OMU (Including Variation LS1S5OMUS) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/29D NOT 1	Cable, Electrical, 300 Volts, Type LSMU (Including Variation LSMUS) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/30E NOT 1	Cable, Electrical, Type LS1SWU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-24643/32E NOT 1	Cable, Electrical, Type LS2SWAU [CUST: MI SH] [REVIEW: AR AV CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-24643/33E NOT 1	Cable, Electrical, Type LS2SWU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-24643/34E NOT 1	Cable, Electrical, 300 Volts Type LSMS [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/35C NOT 1	Cable, Electrical, Type LS3SU (Including Variation LS3SUS) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/36E NOT 1	Cable, Electrical, Type LS3SWU (Including Variation LS3SWUS) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/37E NOT 1	Cable, Electrical, Type LS3U [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/38E NOT 1	Cable, Electrical, 600 Volts, Type LSECM [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/39E NOT 1	Cable, Electrical, Type LS1S75MU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	01-JUN-2007
M	MIL-DTL-24643/40E NOT 1	Cable, Electrical, Type LS1SMU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/41C NOT 1	Cable, Electrical, Type LS1SAU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/45E NOT 1	Cable, Electrical, Type LS2U [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/46E NOT 1	Cable, Electrical, Type LS2WAU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/47C NOT 1	Cable, Electrical, Type LS1SMWU [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/48E NOT 1	Cable, Electrical 1000 Volts, Two Conductor Type LSDNW [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	30-MAY-2007
M	MIL-DTL-24643/49E NOT 1	Cable, Electrical, 1000 Volts, Three Conductor, Type LSTNW [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	30-MAY-2007
M	MIL-DTL-24643/50D NOT 1	Cable, Electrical, 1000 Volts, Four Conductor, Type LSFNW [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	30-MAY-2007
M	MIL-DTL-24643/51E NOT 1	Cable, Electrical, 1000 Volts, Multiconductor, Type LSMNW [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/52E NOT 1	Cable, Electrical, 300 Volts, Type LSTPNW [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/53E NOT 1	Cable, Electrical, 3000 Volts, Types LSSRW, LSDRW, and LSTRW [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-24643/54E NOT 1	Cable, Electrical, Type LS8NW6 [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/55E NOT 1	Cable, Electrical, Type LS4NW8 [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/56E NOT 1	Cable, Electrical, Type LS2SWL-7 [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	29-MAY-2007
M	MIL-DTL-24643/57E NOT 1	Cable, Electrical, Type LS2UW-42 (Including Variation LS2UWS-42) [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MIL-DTL-24643/58E NOT 1	Cable, Electrical, Type LS2CS [CUST: MI SH] [REVIEW: AV CC CG CR EC]	A	6145		SH	31-MAY-2007
M	MS24489D(1) NOT 3	Filter, Marker Light, Airport Approach, Glass [CUST: AS 99 IS] [REVIEW: 71]	A	6210		IS	30-MAY-2007
M	MS24502E(1) NOT 3	Filter, Marker Light, Airport Runway, Glass [CUST: AS 99 IS] [REVIEW: 71]	A	6210		IS	30-MAY-2007
M	MS25041G(1) NOT 1	Light, Indicator, Press to Test, Small [CUST: CR4 AS 99 IS] [REVIEW: AT]	A	6210		IS	30-MAY-2007
M	AN3146 REV A(1) NOT 1	Light Assembly - Passing [CUST: 99 IS] [REVIEW: 71]	A	6220		IS	30-MAY-2007
M	QPL-16034-61	Meters, Electrical-Indicating (Switchboard and Portable Types)	A	6625		SH	30-MAY-2007
M	A-A-59734 NOT 1	Tachometer, Vibrating Reed [CUST: SH 99] [REVIEW: 03 33 71 AS GS GS1 NIH]	A	6680	/	SH	31-MAY-2007
M	QPL-22110-10 NOT 1	Inhibitors, Corrosion, Volatile, Crystalline (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6850		AS	15-MAY-2007
N	QPL-32170-1	Deck Tiles, Wear-Resistant	A	7220		SH	03-MAY-2007
M	QPL-P-P-560-12 NOT 3	Polish, Plastic (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	7930	/	AS	11-MAY-2007
M	QPL-24667-33	Coating System, Non-Skid, for Roll or Spray Application	A	8010		SH	30-MAY-2007
M	QPL-64159-12	Coating, Water Dispersible Aliphatic Polyurethane, Chemical Agent Resistant	A	8010		MR	15-MAY-2007
M	QPL-85322-3 NOT 1	Coating, Elastomeric, Polyurethane, Rain-Erosion (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010		AS	15-MAY-2007
M	A-A-20335A	Barbecue Sauce [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8950	/	SS	07-MAY-2007
M	A-A-20332C	Water, Drinking, Emergency [CUST: GL SA 35] [REVIEW: AS MC MD QM]	A	8960	/	SS	03-MAY-2007
M	MIL-PRF-18458C NOT 1	Grease, Wire Rope - Exposed Gear [CUST: AT SH 03] [REVIEW: 11 68 99 AS GS GS3 PS SA]	A	9150		SH	30-MAY-2007
M	MIL-S-11713C(1) NOT 2	Steel Strip, Carbon, Spring: for Mechanical Time Fuze Components [CUST: MR OS IS] [REVIEW: AR MI]	A	9515		IS	30-MAY-2007
M	QQ-S-698(4) NOT 5	Steel, Sheet and Strip, Low Carbon [CUST: MR AS IS] [REVIEW: CR4 MI OS YD]	A	9515	/	IS	30-MAY-2007
M	QQ-C-450A(2) NOT 3	Copper-Aluminum Alloy (Aluminum Bronze) Plate, Sheet, Strip, and Bar (Copper Alloy Numbers 606, 610, 613, 614, and 630) [CUST: AR SH IS] [REVIEW: AS MI]	A	9530	/	IS	30-MAY-2007
M	QQ-B-639B(1) NOT 2	Brass, Naval: Flat Products (Plate, Bar, Sheet, and Strip) [CUST: MR SH 99 IS] [REVIEW: 84 AS AT MC MI OS YD]	A	9530	/	IS	30-MAY-2007
M	STANAG-1065 ED.17	Replenishment at Sea - ATP-16(D)/MTP-16(D)	C	ISDN		NI	18-OCT-2006
M	SD-21	Listing of Specifications and Standards Mandated for use by the Department of Defense by Public Laws or Government Regulations [CUST: AM NM 01 DH SE]	A	SDMP		SE	14-MAY-2007
M	AJP-1C	Allied Joint Doctrine	C	SDMP		SO	21-MAR-2007
M	STANAG-3805 ED.8	Doctrine for Joint Airspace Control - AJP-3.3.5(A)	C	SDMP		SO	05-APR-2006
M	MIL-STD-2042B NOT 1	Fiber Optic Cable Topology Installation Standard Methods for Naval Ships [CUST: SH]	A	SESS		SH	31-MAY-2007
M	MIL-STD-2042-2B NOT 1	Fiber Optic Cable Topology Installation Standard Methods for Naval Ships (Equipment) (Part 2 of 7 Parts) [CUST: SH]	A	SESS		SH	30-MAY-2007
M	MIL-STD-2042-4B NOT 1	Fiber Optic Cable Topology Installation Standard Methods for Naval Ships (Cableways) (Part 4 of 7 Parts) [CUST: SH]	A	SESS		SH	31-MAY-2007
M	MIL-STD-2042-5B NOT 1	Fiber Optic Cable Topology Installation Standard Methods for Naval Ships (Connectors and Interconnections) Part 5 of 7 Parts) [CUST: SH]	A	SESS		SH	31-MAY-2007
M	MIL-STD-2042-6B NOT 1	Fiber Optic Cable Topology Installation Standard Methods for Naval Ships (Tests) (Part 6 of 7 Parts) [CUST: SH]	A	SESS		SH	31-MAY-2007
M	MIL-STD-2042-7 NOT 1	Fiber Optic Cable Topology Installation Standard Methods for Naval Ships (Pierside Connectivity Cable Assemblies and Interconnection Hardware) (Part 7 of 7 Parts) [CUST: SH]	A	SESS		SH	31-MAY-2007

ASSIST UPDATE

01-JUN-2007

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-R-9409B(2) NOT 2	Rack, Bomb Aircraft, Electric, Type MA-4A (No S/S Document) [CUST: 99]	A	1095		84	08-MAY-2007
M	MIL-D-38636A(2) NOT 2	Dispenser, Bomb and Rocket, SUU-20B/A, Training Type and Gun Assembly, Bomb Ejector, SUU-20B/A (No S/S Document) [CUST: 99]	A	1095		84	08-MAY-2007
M	MIL-P-83927B NOT 2	Power Supplies, Guided Missile Launchers, Single Types PP-2401B/A, PP-2401C/A, PP-2401D/A, PP-4285/A, PP-4286/A, and Composite Type PP-4506/A and PS-1037 (No S/S Document) [CUST: 99]	A	1440		84	08-MAY-2007
M	A-A-51183A NOT 1	Power Source, DC, Constant Current, Shielded Metal Arc Welding (SMAW) (No S/S Document) [CUST: AR SH 99] [REVIEW: 84 CG CR4 MC YD]	A	3431	/	GS6	22-MAY-2007
M	A-A-50652 NOT 1	Life Preserver, Vest, Adult or Child (35 Pound Buoyancy) (No S/S Document) [CUST: 99]	A	4220	/	84	09-MAY-2007
M	MIL-C-26811C NOT 3	Compressor, Power Driven, Air, Type MB-8 (No S/S Document) [CUST: 99]	A	4310		84	10-MAY-2007
M	MIL-PRF-4541D NOT 1	Lubricating and Servicing Unit, Air Operated High and Low Pressure Delivery (No S/S Document) [CUST: 99]	A	4930		84	08-MAY-2007
M	MIL-PRF-32031 NOT 1	Grit-Blast Machine for Compressor Housing Assembly (T56 Series III) (No S/S Document) [CUST: 99]	A	4940		84	08-MAY-2007
M	MIL-PRF-32037 NOT 1	Blast Cleaning Room (No S/S Document) [CUST: 99]	A	4940		84	08-MAY-2007
M	MIL-I-24703 NOT 2	Insulation, Pipe, Polyphosphazene, Sheet and Tubular (No S/S Document) [CUST: CR SH 11] [REVIEW: CR4 EA GS MC MI OS]	A	5640		SH	09-MAY-2007
M	MIL-C-81659B(2) SUP 1 NOT 1	Connectors, Electrical, Rectangular, Crimp Contacts, General Specification for (S/S by SAE-AS81659) [CUST: CR AS 11 CC] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/9B NOT 2	Connector, Electrical, Rectangular, Receptacle, Environment Resistant, Crimp Contacts, Double Insert, Type 2 Class 1 (-65 Degrees C to +125 Degrees C), Series 1, Shell Designator A (S/S by SAE-AS81659/9) [CUST: AS] [REVIEW: EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/29B NOT 1	Connector, Electrical, Rectangular, Plug, Crimp Contacts, (Single Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) (S/S by SAE-AS81659/29) [CUST: CR AS 11] [REVIEW: 99 CC EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/31B NOT 1	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) (S/S by SAE-AS81659/31) [CUST: CR AS] [REVIEW: 11 99 CC EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/33B NOT 1	Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Dual Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) (S/S by SAE-AS81659/33) [CUST: CR AS 11] [REVIEW: 99 CC EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/35B NOT 1	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type II, Class 1, (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) (S/S by SAE-AS81659/35) [CUST: CR AS 11] [REVIEW: 99 CC EC]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/37B NOT 1	Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Triple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) (S/S by SAE-AS81659/37) [CUST: CR AS 11] [REVIEW: 99 CC EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/39B NOT 1	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Triple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) (S/S by SAE-AS81659/39) [CUST: CR AS 11] [REVIEW: 99 CC EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/41B NOT 1	Connectors, Electrical, Rectangular, Plug, Crimp Contacts, (Quadruple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) (S/S by SAE-AS81659/41) [CUST: CR AS 11] [REVIEW: 99 CC EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/43B NOT 1	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Quadruple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator A) (S/S by SAE-AS81659/43) [CUST: CR AS 11] [REVIEW: CC EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/53A NOT 3	Connectors, Electrical, Rectangular, Plug Environment Resistant, Crimp Contacts, Quadruple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator B (S/S by SAE-AS81659/53) [CUST: AS] [REVIEW: EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/56A NOT 2	Connectors, Electrical, Rectangular, Receptacle, Environment Resistant, Crimp Contacts, Triple Insert, Type II, Class 2 (-65 Degrees to +200 Degrees C), Series 2, Shell Designator B (S/S by SAE-AS81659/56) [CUST: AS] [REVIEW: EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/57A NOT 2	Connectors, Electrical Rectangular, Plug Environment Resistant, Crimp Contacts, Quadruple Insert, Type II, Class 1 (-65 Degrees C to +125 Degrees C), Series 2, Shell Designator B (S/S by SAE-AS81659/57) [CUST: AS] [REVIEW: CC EC]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/58A NOT 2	Connectors, Electrical, Rectangular, Plug Environment Resistant, Crimp Contacts, Quadruple Insert, Type II, Class 2 (-65 Degrees to +200 Degrees C), Series 2, Shell Designator B (S/S by SAE-AS81659/58) [CUST: AS] [REVIEW: CC EC]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/61 NOT 1	Connectors, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type III, Class 1) (-65 Degrees C to +125 Degrees C), (Series 2, Shell Designator A) (S/S by SAE-AS81659/61) [CUST: CR AS 11] [REVIEW: EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/62 NOT 1	Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type III, Class 1 Shell Designator A) (S/S by SAE-AS81659/62) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/63 NOT 1	Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Tripe Insert, Type III, Class 1) -65 Degrees C to Plus 125 Degrees C, (Series 2, Shell Designator A) (S/S by SAE-AS81659/63) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/64 NOT 1	Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Quadruple Insert, Type III, Class 1) Minus 65 Degrees C to Plus 125 Degrees C, (Series 2, Shell Designator A) (S/S by SAE-AS81659/64) [CUST: CR AS 11] [REVIEW: MI]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/65 NOT 1	Connector, Electrical, Rectangular, Plug, Crimp Contacts, (Single Insert, Type IV, Class 1) Minus 65 Degrees C to Plus 125 Degrees C (Series 2, Shell Designator A) (S/S by SAE-AS81659/65) [CUST: CR AS 11] [REVIEW: 99 EC MI OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/66 NOT 1	Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1), -65 Degrees C to Plus 125 Degrees C, (Series 2, Shell Designator A) (S/S by SAE-AS81659/66) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/67 NOT 1	Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1) -65 Degrees C to Plus 125 Degrees C (Series 2, Shell Designator A, Clinch Nut Mounting) (S/S by SAE-AS81659/67) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/68 NOT 1	Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Single Insert, Type IV, Class 1) Minus 65 Degrees C to Plus 125 Degrees C, (Series 2, Shell Designator A, Float Mounting) (S/S by SAE-AS81659/68) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/69 NOT 1	Connector, Electrical, Rectangular, Plug, Crimp Contacts, (Dual Insert, Type IV, Class 1) Minus 65 Degrees C to Plus 125 Degrees C, (Series 2, Shell Designator A) (S/S by SAE-AS81659/69) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-C-81659/70 NOT 1	Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1) Minus 65 Degrees C to Plus 125 Degrees C, (Series 2, Shell Designator A) (S/S by SAE-AS81659/70) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/71 NOT 1	Connector, Electrical, Rectangular, Receptacle Crimp Contacts, (Dual Insert, Type IV, Class 1) -65 Degrees C to Plus 125 Degrees C, (Series 2, Shell Designator A, Clinch Nut Mount) (S/S by SAE-AS81659/71) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	MIL-C-81659/72 NOT 1	Connector, Electrical, Rectangular, Receptacle, Crimp Contacts, (Dual Insert, Type IV, Class 1) -65 Degrees C to Plus 125 Degrees C, (Series 2, Shell Designator A, Float Mounting) (S/S by SAE-AS81659/72) [CUST: CR AS 11] [REVIEW: 99 EC OS]	A	5935		AS	01-JUN-2007
M	QPL-81659-16 NOT 1	Connectors, Electrical, Rectangular Crimp Contact, General Specification for (S/S by QPL-AS81659)	A	5935		AS	01-JUN-2007
M	MIL-I-19917A NOT 2	Insulation Sheet, Electrical, Mica Paper, Silicone Bonded (S/S by NEMA-FI1) [CUST: SH] [REVIEW: GS MI]	A	5970		SH	09-MAY-2007
M	MIL-I-21070B(1) NOT 1	Insulation Sheet and Tape, Electrical, Reinforced Mica Paper (S/S by ANSI/NEMA FI1) [CUST: SH] [REVIEW: GS]	A	5970		SH	09-MAY-2007
M	MIL-A-9286C(2) NOT 3	AF Amplifier AM-476()AIC-10 (No S/S Document) [CUST: 99]	A	5996		84	10-MAY-2007
M	A-A-50741 NOT 1	Divider, Power Radio Frequency (No S/S Document) [CUST: 99]	A	6625	/	84	09-MAY-2007
M	A-A-50798	Frequency Standard, Oscillator (5MHZ, 1MHZ and 100KHZ) (No S/S Document) [CUST: 99]	A	6625	/	84	10-MAY-2007
M	MIL-STD-469B NOT 1	Radar Engineering Interface Requirements, Electromagnetic Compatibility (See Notice 1 for Replacement Information) [CUST: CR SH 99] [REVIEW: EC] [AMSC: N7193]	A	EMCS		SH	09-MAY-2007